

08 August 2022

Ethan Beyea
Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

RE: Prescott Valley

Laboratory Work Order No.: 22G2286

Legend Technical Services of Arizona, Inc. is pleased to provide the enclosed analytical results for the aforementioned project. These results relate only to the items tested. This cover letter and the accompanying pages represent the full report for these analyses and should only be reproduced in full. Samples for this project were received by the laboratory on 07/19/22 15:53.

The samples were processed in accordance with the Chain of Custody document and the results presented relate only to the samples tested. The Chain of Custody is considered part of this report.

All samples will be retained by LEGEND for 30 days from the date of this report and then discarded unless other arrangements are made. Due to hold-time and method sample volume requirements, microbiological samples are not retained unless other arrangements are made.

This entire report was reviewed and approved for release by the undersigned. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

LEGEND TECHNICAL SERVICES OF ARIZONA, INC.



Barbara Frank
Client Services Representative
(602) 324-6100

This laboratory report is confidential and is intended for the sole use of LEGEND and its client.

ANALYTICAL REPORT FOR SAMPLES

| Sample ID | Laboratory ID | Matrix | Type | Date Sampled | Date Received |
|-------------------------|---------------|----------------|------|----------------|----------------|
| Double S | 22G2286-01 | Drinking Water | Grab | 07/19/22 08:15 | 07/19/22 15:53 |
| Pronghorn | 22G2286-03 | Drinking Water | Grab | 07/19/22 08:30 | 07/19/22 15:53 |
| Fairgrounds | 22G2286-05 | Drinking Water | Grab | 07/19/22 09:12 | 07/19/22 15:53 |
| Kurtz | 22G2286-07 | Drinking Water | Grab | 07/19/22 09:41 | 07/19/22 15:53 |
| Lower Lynx | 22G2286-09 | Drinking Water | Grab | 07/19/22 10:18 | 07/19/22 15:53 |
| PCC | 22G2286-11 | Drinking Water | Grab | 07/19/22 10:47 | 07/19/22 15:53 |
| QW3 | 22G2286-13 | Drinking Water | Grab | 07/19/22 11:05 | 07/19/22 15:53 |
| QW3 Field Blank | 22G2286-14 | Drinking Water | Grab | 07/19/22 11:05 | 07/19/22 15:53 |
| QW1 | 22G2286-15 | Drinking Water | Grab | 07/19/22 11:19 | 07/19/22 15:53 |
| QW4 | 22G2286-17 | Drinking Water | Grab | 07/19/22 11:30 | 07/19/22 15:53 |
| QW2 | 22G2286-19 | Drinking Water | Grab | 07/19/22 11:40 | 07/19/22 15:53 |
| QW2 Field Blank | 22G2286-20 | Drinking Water | Grab | 07/19/22 11:40 | 07/19/22 15:53 |
| Monks | 22G2286-21 | Drinking Water | Grab | 07/19/22 12:14 | 07/19/22 15:53 |
| Mingus 2 | 22G2286-23 | Drinking Water | Grab | 07/19/22 12:43 | 07/19/22 15:53 |
| Laredo | 22G2286-25 | Drinking Water | Grab | 07/19/22 08:00 | 07/19/22 15:53 |
| Manley | 22G2286-27 | Drinking Water | Grab | 07/19/22 08:19 | 07/19/22 15:53 |
| Huggins | 22G2286-29 | Drinking Water | Grab | 07/19/22 08:36 | 07/19/22 15:53 |
| Windsong | 22G2286-31 | Drinking Water | Grab | 07/19/22 08:59 | 07/19/22 15:53 |
| Lake Valley | 22G2286-33 | Drinking Water | Grab | 07/19/22 10:16 | 07/19/22 15:53 |
| Lake Valley Field Blank | 22G2286-34 | Drinking Water | Grab | 07/19/22 10:16 | 07/19/22 15:53 |
| Medina | 22G2286-35 | Drinking Water | Grab | 07/19/22 10:02 | 07/19/22 15:53 |
| Santa Fe | 22G2286-37 | Drinking Water | Grab | 07/19/22 10:45 | 07/19/22 15:53 |
| Elephant Eye | 22G2286-39 | Drinking Water | Grab | 07/19/22 11:01 | 07/19/22 15:53 |
| Antelope | 22G2286-41 | Drinking Water | Grab | 07/19/22 13:00 | 07/19/22 15:53 |
| Legend Larry | 22G2286-43 | Drinking Water | Grab | 07/19/22 11:48 | 07/19/22 15:53 |
| Middle Robin | 22G2286-45 | Drinking Water | Grab | 07/19/22 12:07 | 07/19/22 15:53 |
| Out & Out | 22G2286-47 | Drinking Water | Grab | 07/19/22 12:19 | 07/19/22 15:53 |
| Little Pete | 22G2286-49 | Drinking Water | Grab | 07/19/22 12:26 | 07/19/22 15:53 |
| Little Pete Field Blank | 22G2286-50 | Drinking Water | Grab | 07/19/22 12:26 | 07/19/22 15:53 |

Sample Condition Upon Receipt:

Temperature: 2.30 C

All samples were received in acceptable condition unless noted otherwise in the case narrative.

Case Narrative:

Holding Times: All holding times were met unless otherwise qualified.

QA/QC Criteria: All analyses met method requirements unless otherwise qualified.

Certifications: **AZ(PHX)0004, AZ(TUC)0004, AIHA#102982, CDC ELITE Member.**

Accreditation is applicable only to the test methods specified on each scope of accreditation held by LEGEND.

Comments: There were no problems encountered during the processing of the samples, unless otherwise noted.
All samples were analyzed on a "wet" basis unless designated as "dry weight".

Double S (22G2286-01) Drinking Water (Grab) Sampled: 07/19/22 08:15 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| 9CI-PF3ONS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| NaDONA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| N-EtFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| N-MeFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFBS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFDoA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFHpA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFHxA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFHxS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFNA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFOA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFOS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFTrDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| PFUdA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:03 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 108 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 105 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 98 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 103 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Pronghorn (22G2286-03) Drinking Water (Grab) Sampled: 07/19/22 08:30 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| 9CI-PF3ONS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| NaDONA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| N-EtFOSAA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| N-MeFOSAA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFBS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFDA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFDoA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFHpA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFHxA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFHxS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFNA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFOA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFOS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| PFTrDA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Pronghorn (22G2286-03) Drinking Water (Grab) Sampled: 07/19/22 08:30 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|--------|---|---------|----------------|----------------|-----------|--|
| PFUdA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 16:49 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 107 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 100 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 101 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Fairgrounds (22G2286-05) Drinking Water (Grab) Sampled: 07/19/22 09:12 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|--------|---|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| 9CI-PF3ONS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| NaDONA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| N-EtFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| N-MeFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFBS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFDoA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFHpA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFHxA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFHxS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFNA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFOA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFOS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFTrDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| PFUdA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:12 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 105 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 95 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 89 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 103 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Kurtz (22G2286-07) Drinking Water (Grab) Sampled: 07/19/22 09:41 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|----------------|-------|------|------|---|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| 9CI-PF3ONS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| NaDONA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| N-EtFOSAA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| N-MeFOSAA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFBS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Kurtz (22G2286-07) Drinking Water (Grab) Sampled: 07/19/22 09:41 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PFDA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFDoA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFHpA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFHxA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFHxS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFNA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFOA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFOS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFTrDA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| PFUdA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:35 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 105 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 105 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 98 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 100 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Lower Lynx (22G2286-09) Drinking Water (Grab) Sampled: 07/19/22 10:18 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11Cl-PF3OUdS | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| 9Cl-PF3ONS | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| NaDONA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| N-EtFOSAA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| N-MeFOSAA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFBS | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFDA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFDoA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFHpA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFHxA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFHxS | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFNA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFOA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFOS | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFTrDA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| PFUdA | <1.72 | 1.72 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 17:58 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 108 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 104 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 95 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 105 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

PCC (22G2286-11) Drinking Water (Grab) Sampled: 07/19/22 10:47 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| 9CI-PF3ONS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| NaDONA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| N-EtFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| N-MeFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFBS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFDA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFDoA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFHpA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFHxA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFHxS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFNA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFOA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFOS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFTrDA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| PFUdA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:21 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 107 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 105 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 100 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 101 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

QW3 (22G2286-13) Drinking Water (Grab) Sampled: 07/19/22 11:05 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| 9CI-PF3ONS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| NaDONA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| N-EtFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| N-MeFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFBS | 4.11 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFDoA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFHpA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFHxA | 3.38 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFHxS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFNA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFOA | 3.68 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFOS | 2.06 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| PFTrDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

QW3 (22G2286-13) Drinking Water (Grab) Sampled: 07/19/22 11:05 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|------|--------|---------|----------------|----------------|-----------|--|
| PFUdA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 18:44 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 121 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 119 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 110 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 107 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

QW3 Field Blank (22G2286-14) Drinking Water (Grab) Sampled: 07/19/22 11:05 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|------|--------|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| 9CI-PF3ONS | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| NaDONA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| N-EtFOSAA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| N-MeFOSAA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFBS | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFDA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFDoA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFHpA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFHxA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFHxS | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFNA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFOA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFOS | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFTrDA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| PFUdA | <1.84 | 1.84 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:16 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 109 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 106 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 94 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 106 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

QW1 (22G2286-15) Drinking Water (Grab) Sampled: 07/19/22 11:19 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|----------------|-------|------|------|---|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| 9CI-PF3ONS | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| NaDONA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| N-EtFOSAA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| N-MeFOSAA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFBS | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

QW1 (22G2286-15) Drinking Water (Grab) Sampled: 07/19/22 11:19 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PFDA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFDoA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFHpA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFHxA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFHxS | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFNA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFOA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFOS | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFTTrDA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| PFUdA | <1.70 | 1.70 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:07 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 118 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 119 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 113 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 108 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

QW4 (22G2286-17) Drinking Water (Grab) Sampled: 07/19/22 11:30 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11Cl-PF3OUdS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| 9Cl-PF3ONS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| NaDONA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| N-EtFOSAA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| N-MeFOSAA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFBS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFDA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFDoA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFHpA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFHxA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFHxS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFNA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFOA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFOS | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFTTrDA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| PFUdA | <1.80 | 1.80 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 19:53 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 113 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 108 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 102 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 103 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

Laboratory Work Order No.: 22G2286

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

QW2 (22G2286-19) Drinking Water (Grab) Sampled: 07/19/22 11:40 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|-------------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| 9CI-PF3ONS | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| NaDONA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| N-EtFOSAA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| N-MeFOSAA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFBS | 13.5 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFDA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFDoA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFHpA | 3.18 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFHxA | 19.1 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFHxS | 9.36 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFNA | 2.05 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFOA | 16.8 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFOS | 11.3 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFTTrDA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| PFUdA | <1.85 | 1.85 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:16 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 111 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 104 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 101 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 98 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

QW2 Field Blank (22G2286-20) Drinking Water (Grab) Sampled: 07/19/22 11:40 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| 9CI-PF3ONS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| NaDONA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| N-EtFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| N-MeFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFBS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFDA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFDoA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFHpA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFHxA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFHxS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFNA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFOA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFOS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFTTrDA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |
| PFUdA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 19:40 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

QW2 Field Blank (22G2286-20) Drinking Water (Grab) Sampled: 07/19/22 11:40 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|--|--------|--|---------|----------|----------|-----------|--|
| Surrogate: C2-PFDA (SURR) | 109 % | | 70-130 | | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | 96 % | | 70-130 | | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | 91 % | | 70-130 | | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | 106 % | | 70-130 | | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Monks (22G2286-21) Drinking Water (Grab) Sampled: 07/19/22 12:14 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|--------|---|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| 9CI-PF3ONS | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| NaDONA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| N-EtFOSAA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| N-MeFOSAA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFBS | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFDA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFDoA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFHpA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFHxA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFHxS | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFNA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFOA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFOS | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFTrDA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| PFUdA | <1.75 | 1.75 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 20:39 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 112 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 104 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 97 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 105 % | 70-130 | | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Mingus 2 (22G2286-23) Drinking Water (Grab) Sampled: 07/19/22 12:43 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|----------------|-------|------|------|---|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| 9CI-PF3ONS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| NaDONA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| N-EtFOSAA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| N-MeFOSAA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PFBS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PFDA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Mingus 2 (22G2286-23) Drinking Water (Grab) Sampled: 07/19/22 12:43 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PfDoA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfHpA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfHxA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfHxS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfNA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfOA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfOS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfTeDA (PFTA) | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfTrDA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| PfUdA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:02 | EPA 537.1 | |
| Surrogate: C2-PfDA (SURR) | | 104 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PfHxA (SURR) | | 104 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HfPO-DA (SURR) | | 104 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 100 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Laredo (22G2286-25) Drinking Water (Grab) Sampled: 07/19/22 08:00 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11Cl-Pf3OUdS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| 9Cl-Pf3ONS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| HfPO-DA (GenX) | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| NaDONA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| N-EtFOSAA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| N-MeFOSAA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfBS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfDA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfDoA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfHpA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfHxA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfHxS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfNA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfOA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfOS | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfTeDA (PFTA) | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfTrDA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| PfUdA | <1.79 | 1.79 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:25 | EPA 537.1 | |
| Surrogate: C2-PfDA (SURR) | | 103 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PfHxA (SURR) | | 107 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HfPO-DA (SURR) | | 101 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 101 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Manley (22G2286-27) Drinking Water (Grab) Sampled: 07/19/22 08:19 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Manley (22G2286-27) Drinking Water (Grab) Sampled: 07/19/22 08:19 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| 9CI-PF3ONS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| NaDONA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| N-EtFOSAA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| N-MeFOSAA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFBS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFDA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFDoA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFHpA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFHxA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFHxS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFNA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFOA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFOS | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFTTrDA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| PFUdA | <1.76 | 1.76 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 21:48 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 102 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 100 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 96 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Huggins (22G2286-29) Drinking Water (Grab) Sampled: 07/19/22 08:36 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| 9CI-PF3ONS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| NaDONA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| N-EtFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| N-MeFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFBS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFDA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFDoA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFHpA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFHxA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFHxS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFNA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFOA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFOS | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| PFTTrDA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Huggins (22G2286-29) Drinking Water (Grab) Sampled: 07/19/22 08:36 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PFUdA | <1.81 | 1.81 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:11 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 110 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 97 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 101 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Windsong (22G2286-31) Drinking Water (Grab) Sampled: 07/19/22 08:59 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| 9CI-PF3ONS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| NaDONA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| N-EtFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| N-MeFOSAA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFBS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFDoA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFHpA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFHxA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFHxS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFNA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFOA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFOS | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFTrDA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| PFUdA | <1.74 | 1.74 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:34 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 113 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 108 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 100 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 100 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Lake Valley (22G2286-33) Drinking Water (Grab) Sampled: 07/19/22 10:16 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| 9CI-PF3ONS | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| NaDONA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| N-EtFOSAA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| N-MeFOSAA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFBS | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Lake Valley (22G2286-33) Drinking Water (Grab) Sampled: 07/19/22 10:16 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PFDA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFDoA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFHpA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFHxA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFHxS | 1.90 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFNA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFOA | 4.90 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFOS | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFTrDA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| PFUdA | <1.84 | 1.84 | ng/L | 1 | B2G0693 | 07/22/22 08:00 | 07/25/22 22:57 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 109 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 108 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 96 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 99 % | | 70-130 | B2G0693 | 07/22/22 | 07/25/22 | EPA 537.1 | |

Lake Valley Field Blank (22G2286-34) Drinking Water (Grab) Sampled: 07/19/22 10:16 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| 9CI-PF3ONS | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| NaDONA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| N-EtFOSAA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| N-MeFOSAA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFBS | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFDA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFDoA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFHpA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFHxA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFHxS | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFNA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFOA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFOS | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFTrDA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| PFUdA | <1.82 | 1.82 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 20:25 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 112 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 98 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 108 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

Laboratory Work Order No.: 22G2286

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Medina (22G2286-35) Drinking Water (Grab) Sampled: 07/19/22 10:02 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| 9CI-PF3ONS | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| NaDONA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| N-EtFOSAA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| N-MeFOSAA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFBS | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFDA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFDoA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFHpA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFHxA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFHxS | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFNA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFOA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFOS | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFTTrDA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| PFUdA | <1.72 | 1.72 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 15:50 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 112 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 101 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 104 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Santa Fe (22G2286-37) Drinking Water (Grab) Sampled: 07/19/22 10:45 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| 9CI-PF3ONS | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| NaDONA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| N-EtFOSAA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| N-MeFOSAA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFBS | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFDA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFDoA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFHpA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFHxA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFHxS | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFNA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFOA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFOS | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| PFTTrDA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Santa Fe (22G2286-37) Drinking Water (Grab) Sampled: 07/19/22 10:45 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|------|--------|---------|----------------|----------------|-----------|--|
| PFUdA | <1.75 | 1.75 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:36 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 112 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 104 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 94 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 102 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Elephant Eye (22G2286-39) Drinking Water (Grab) Sampled: 07/19/22 11:01 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|------|--------|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| 9CI-PF3ONS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| NaDONA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| N-EtFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| N-MeFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFBS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFDA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFDoA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFHpA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFHxA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFHxS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFNA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFOA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFOS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFTrDA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| PFUdA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 16:59 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 114 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 100 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 89 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 106 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Antelope (22G2286-41) Drinking Water (Grab) Sampled: 07/19/22 13:00 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|----------------|-------|------|------|---|---------|----------------|----------------|-----------|--|
| 11CI-PF3OUdS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| 9CI-PF3ONS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| NaDONA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| N-EtFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| N-MeFOSAA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFBS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Antelope (22G2286-41) Drinking Water (Grab) Sampled: 07/19/22 13:00 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PFDA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFDoA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFHpA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFHxA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFHxS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFNA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFOA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFOS | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFTTrDA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| PFUdA | <1.81 | 1.81 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:22 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 111 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 103 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 93 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 104 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Legend Larry (22G2286-43) Drinking Water (Grab) Sampled: 07/19/22 11:48 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| 9CI-PF3ONS | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| NaDONA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| N-EtFOSAA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| N-MeFOSAA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFBS | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFDA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFDoA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFHpA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFHxA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFHxS | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFNA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFOA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFOS | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFTTrDA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| PFUdA | <1.76 | 1.76 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 17:45 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 112 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 92 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 85 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 108 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

Laboratory Work Order No.: 22G2286

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Middle Robin (22G2286-45) Drinking Water (Grab) Sampled: 07/19/22 12:07 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| 9CI-PF3ONS | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| NaDONA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| N-EtFOSAA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| N-MeFOSAA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFBS | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFDA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFDoA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFHpA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFHxA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFHxS | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFNA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFOA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFOS | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFTTrDA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| PFUdA | <1.79 | 1.79 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:08 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 112 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 101 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 104 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Out & Out (22G2286-47) Drinking Water (Grab) Sampled: 07/19/22 12:19 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| 9CI-PF3ONS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| NaDONA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| N-EtFOSAA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| N-MeFOSAA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFBS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFDA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFDoA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFHpA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFHxA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFHxS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFNA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFOA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFOS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| PFTTrDA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Out & Out (22G2286-47) Drinking Water (Grab) Sampled: 07/19/22 12:19 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| PFUdA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:31 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 113 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 108 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 102 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 104 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Little Pete (22G2286-49) Drinking Water (Grab) Sampled: 07/19/22 12:26 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|-------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| 9CI-PF3ONS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| NaDONA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| N-EtFOSAA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| N-MeFOSAA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFBS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFDA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFDoA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFHpA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFHxA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFHxS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFNA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFOA | 1.80 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFOS | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFTrDA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| PFUdA | <1.77 | 1.77 | ng/L | 1 | B2G0821 | 07/26/22 08:00 | 07/27/22 18:54 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 113 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 107 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 99 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 104 % | | 70-130 | B2G0821 | 07/26/22 | 07/27/22 | EPA 537.1 | |

Little Pete Field Blank (22G2286-50) Drinking Water (Grab) Sampled: 07/19/22 12:26 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|--|--------|------|-------|----------|---------|----------------|----------------|-----------|-------|
| Legend Technical Services of Arizona, Inc. | | | | | | | | | |
| Semi-Volatile Organic Compounds | | | | | | | | | |
| 11CI-PF3OUdS | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| 9CI-PF3ONS | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| HFPO-DA (GenX) | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| NaDONA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| N-EtFOSAA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| N-MeFOSAA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFBS | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |

Legend Technical Services of Arizona, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Work Order No.: 22G2286

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Little Pete Field Blank (22G2286-50) Drinking Water (Grab) Sampled: 07/19/22 12:26 Received: 07/19/22 15:53

| Analyte | Result | PQL | Units | Dilution | Batch | Prepared | Analyzed | Method | Notes |
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|
|---------|--------|-----|-------|----------|-------|----------|----------|--------|-------|

Legend Technical Services of Arizona, Inc.

Semi-Volatile Organic Compounds

| | | | | | | | | | |
|--------------------------------|-------|-------|------|--------|---------|----------------|----------------|-----------|--|
| PFDA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFDoA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFHpA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFHxA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFHxS | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFNA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFOA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFOS | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFTeDA (PFTA) | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFTTrDA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| PFUdA | <1.84 | 1.84 | ng/L | 1 | B2H0092 | 08/02/22 11:00 | 08/04/22 15:44 | EPA 537.1 | |
| Surrogate: C2-PFDA (SURR) | | 108 % | | 70-130 | B2H0092 | 08/02/22 | 08/04/22 | EPA 537.1 | |
| Surrogate: C2-PFHxA (SURR) | | 106 % | | 70-130 | B2H0092 | 08/02/22 | 08/04/22 | EPA 537.1 | |
| Surrogate: C3-HFPO-DA (SURR) | | 96 % | | 70-130 | B2H0092 | 08/02/22 | 08/04/22 | EPA 537.1 | |
| Surrogate: d5-n-EtFOSAA (SURR) | | 104 % | | 70-130 | B2H0092 | 08/02/22 | 08/04/22 | EPA 537.1 | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2G0693 - Default Prep GC-Semi

Blank (B2G0693-BLK1)

Prepared: 07/22/22 Analyzed: 07/25/22

| | | | | | | | | | | |
|----------------|-------|------|------|--|--|--|--|--|--|--|
| 11CI-PF3OUdS | <2.00 | 2.00 | ng/L | | | | | | | |
| 9CI-PF3ONS | <2.00 | 2.00 | ng/L | | | | | | | |
| HFPO-DA (GenX) | <2.00 | 2.00 | ng/L | | | | | | | |
| NaDONA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-EtFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-MeFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFBS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDoA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHpA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFNA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTeDA (PFTA) | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTTrDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFUdA | <2.00 | 2.00 | ng/L | | | | | | | |

LCS (B2G0693-BS1)

Prepared: 07/22/22 Analyzed: 07/25/22

| | | | | | | | | | | |
|----------------|------|------|------|------|--|-----|--------|--|--|--|
| 11CI-PF3OUdS | 71.0 | 2.00 | ng/L | 75.5 | | 94 | 70-130 | | | |
| 9CI-PF3ONS | 73.1 | 2.00 | ng/L | 74.9 | | 98 | 70-130 | | | |
| HFPO-DA (GenX) | 74.9 | 2.00 | ng/L | 80.0 | | 94 | 70-130 | | | |
| NaDONA | 80.2 | 2.00 | ng/L | 75.5 | | 106 | 70-130 | | | |
| N-EtFOSAA | 74.1 | 2.00 | ng/L | 80.0 | | 93 | 70-130 | | | |
| N-MeFOSAA | 78.8 | 2.00 | ng/L | 80.0 | | 98 | 70-130 | | | |
| PFBS | 73.1 | 2.00 | ng/L | 70.7 | | 103 | 70-130 | | | |
| PFDA | 84.6 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | | | |
| PFDoA | 96.5 | 2.00 | ng/L | 80.0 | | 121 | 70-130 | | | |
| PFHpA | 83.6 | 2.00 | ng/L | 80.0 | | 104 | 70-130 | | | |
| PFHxA | 84.9 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | | | |
| PFHxS | 75.3 | 2.00 | ng/L | 72.8 | | 103 | 70-130 | | | |
| PFNA | 84.9 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | | | |
| PFOA | 82.5 | 2.00 | ng/L | 80.0 | | 103 | 70-130 | | | |
| PFOS | 71.6 | 2.00 | ng/L | 73.9 | | 97 | 70-130 | | | |
| PFTeDA (PFTA) | 73.8 | 2.00 | ng/L | 80.0 | | 92 | 70-130 | | | |
| PFTTrDA | 82.8 | 2.00 | ng/L | 80.0 | | 104 | 70-130 | | | |
| PFUdA | 84.9 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | | | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2G0693 - Default Prep GC-Semi

LCS Dup (B2G0693-BSD1)

Prepared: 07/22/22 Analyzed: 07/25/22

| | | | | | | | | | | |
|----------------|------|------|------|------|--|-----|--------|-------|----|--|
| 11CI-PF3OUdS | 70.3 | 2.00 | ng/L | 75.5 | | 93 | 70-130 | 1 | 30 | |
| 9CI-PF3ONS | 72.3 | 2.00 | ng/L | 74.9 | | 97 | 70-130 | 1 | 30 | |
| HFPO-DA (GenX) | 79.4 | 2.00 | ng/L | 80.0 | | 99 | 70-130 | 6 | 30 | |
| NaDONA | 80.4 | 2.00 | ng/L | 75.5 | | 106 | 70-130 | 0.2 | 30 | |
| N-EtFOSAA | 77.8 | 2.00 | ng/L | 80.0 | | 97 | 70-130 | 5 | 30 | |
| N-MeFOSAA | 79.5 | 2.00 | ng/L | 80.0 | | 99 | 70-130 | 0.9 | 30 | |
| PFBS | 71.7 | 2.00 | ng/L | 70.7 | | 101 | 70-130 | 2 | 30 | |
| PFDA | 86.7 | 2.00 | ng/L | 80.0 | | 108 | 70-130 | 3 | 30 | |
| PFDoA | 93.2 | 2.00 | ng/L | 80.0 | | 117 | 70-130 | 3 | 30 | |
| PFHpA | 84.5 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | 1 | 30 | |
| PFHxA | 84.9 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | 0.004 | 30 | |
| PFHxS | 75.4 | 2.00 | ng/L | 72.8 | | 104 | 70-130 | 0.2 | 30 | |
| PFNA | 84.7 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | 0.3 | 30 | |
| PFOA | 82.5 | 2.00 | ng/L | 80.0 | | 103 | 70-130 | 0.06 | 30 | |
| PFOS | 72.2 | 2.00 | ng/L | 73.9 | | 98 | 70-130 | 0.8 | 30 | |
| PFTeDA (PFTA) | 76.5 | 2.00 | ng/L | 80.0 | | 96 | 70-130 | 4 | 30 | |
| PFTTrDA | 84.7 | 2.00 | ng/L | 80.0 | | 106 | 70-130 | 2 | 30 | |
| PFUdA | 85.9 | 2.00 | ng/L | 80.0 | | 107 | 70-130 | 1 | 30 | |

Matrix Spike (B2G0693-MS1)

Source: 22G2286-01

Prepared: 07/22/22 Analyzed: 07/25/22

| | | | | | | | | | | |
|----------------|------|------|------|------|-------|-----|--------|--|--|--|
| 11CI-PF3OUdS | 61.6 | 1.75 | ng/L | 66.0 | <1.75 | 93 | 70-130 | | | |
| 9CI-PF3ONS | 64.6 | 1.75 | ng/L | 65.5 | <1.75 | 99 | 70-130 | | | |
| HFPO-DA (GenX) | 67.7 | 1.75 | ng/L | 69.9 | <1.75 | 97 | 70-130 | | | |
| NaDONA | 69.8 | 1.75 | ng/L | 66.0 | <1.75 | 106 | 70-130 | | | |
| N-EtFOSAA | 66.7 | 1.75 | ng/L | 69.9 | <1.75 | 95 | 70-130 | | | |
| N-MeFOSAA | 69.0 | 1.75 | ng/L | 69.9 | <1.75 | 99 | 70-130 | | | |
| PFBS | 64.7 | 1.75 | ng/L | 61.8 | <1.75 | 105 | 70-130 | | | |
| PFDA | 73.8 | 1.75 | ng/L | 69.9 | <1.75 | 106 | 70-130 | | | |
| PFDoA | 84.9 | 1.75 | ng/L | 69.9 | <1.75 | 121 | 70-130 | | | |
| PFHpA | 72.8 | 1.75 | ng/L | 69.9 | <1.75 | 104 | 70-130 | | | |
| PFHxA | 74.1 | 1.75 | ng/L | 69.9 | <1.75 | 106 | 70-130 | | | |
| PFHxS | 66.5 | 1.75 | ng/L | 63.6 | <1.75 | 105 | 70-130 | | | |
| PFNA | 74.7 | 1.75 | ng/L | 69.9 | <1.75 | 107 | 70-130 | | | |
| PFOA | 72.6 | 1.75 | ng/L | 69.9 | <1.75 | 104 | 70-130 | | | |
| PFOS | 63.1 | 1.75 | ng/L | 64.6 | <1.75 | 98 | 70-130 | | | |
| PFTeDA (PFTA) | 65.4 | 1.75 | ng/L | 69.9 | <1.75 | 94 | 70-130 | | | |
| PFTTrDA | 72.7 | 1.75 | ng/L | 69.9 | <1.75 | 104 | 70-130 | | | |
| PFUdA | 75.4 | 1.75 | ng/L | 69.9 | <1.75 | 108 | 70-130 | | | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2G0821 - Default Prep GC-Semi

Blank (B2G0821-BLK1)

Prepared: 07/26/22 Analyzed: 07/27/22

| | | | | | | | | | | |
|----------------|-------|------|------|--|--|--|--|--|--|--|
| 11CI-PF3OUdS | <2.00 | 2.00 | ng/L | | | | | | | |
| 11CI-PF3OUdS | <2.00 | 2.00 | ng/L | | | | | | | |
| 9CI-PF3ONS | <2.00 | 2.00 | ng/L | | | | | | | |
| 9CI-PF3ONS | <2.00 | 2.00 | ng/L | | | | | | | |
| HFPO-DA (GenX) | <2.00 | 2.00 | ng/L | | | | | | | |
| HFPO-DA (GenX) | <2.00 | 2.00 | ng/L | | | | | | | |
| NaDONA | <2.00 | 2.00 | ng/L | | | | | | | |
| NaDONA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-EtFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-EtFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-MeFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-MeFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFBS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFBS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDoA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDoA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHpA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHpA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFNA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFNA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTeDA (PFTA) | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTeDA (PFTA) | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTTrDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTTrDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFUdA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFUdA | <2.00 | 2.00 | ng/L | | | | | | | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2G0821 - Default Prep GC-Semi

LCS (B2G0821-BS1)

Prepared: 07/26/22 Analyzed: 07/27/22

| | | | | | | | | | | |
|----------------|------|------|------|------|--|-----|--------|--|--|--|
| 11CI-PF3OUdS | 15.5 | 2.00 | ng/L | 18.9 | | 82 | 70-130 | | | |
| 11CI-PF3OUdS | 15.5 | 2.00 | ng/L | 18.9 | | 82 | 70-130 | | | |
| 9CI-PF3ONS | 16.8 | 2.00 | ng/L | 18.7 | | 90 | 70-130 | | | |
| 9CI-PF3ONS | 16.8 | 2.00 | ng/L | 18.7 | | 90 | 70-130 | | | |
| HFPO-DA (GenX) | 18.9 | 2.00 | ng/L | 20.0 | | 94 | 70-130 | | | |
| HFPO-DA (GenX) | 18.9 | 2.00 | ng/L | 20.0 | | 94 | 70-130 | | | |
| NaDONA | 18.8 | 2.00 | ng/L | 18.9 | | 100 | 70-130 | | | |
| NaDONA | 18.8 | 2.00 | ng/L | 18.9 | | 100 | 70-130 | | | |
| N-EtFOSAA | 18.6 | 2.00 | ng/L | 20.0 | | 93 | 70-130 | | | |
| N-EtFOSAA | 18.6 | 2.00 | ng/L | 20.0 | | 93 | 70-130 | | | |
| N-MeFOSAA | 19.4 | 2.00 | ng/L | 20.0 | | 97 | 70-130 | | | |
| N-MeFOSAA | 19.4 | 2.00 | ng/L | 20.0 | | 97 | 70-130 | | | |
| PFBS | 16.8 | 2.00 | ng/L | 17.7 | | 95 | 70-130 | | | |
| PFBS | 16.8 | 2.00 | ng/L | 17.7 | | 95 | 70-130 | | | |
| PFDA | 20.5 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | | | |
| PFDA | 20.5 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | | | |
| PFDoA | 22.1 | 2.00 | ng/L | 20.0 | | 110 | 70-130 | | | |
| PFDoA | 22.1 | 2.00 | ng/L | 20.0 | | 110 | 70-130 | | | |
| PFHpA | 19.7 | 2.00 | ng/L | 20.0 | | 98 | 70-130 | | | |
| PFHpA | 19.7 | 2.00 | ng/L | 20.0 | | 98 | 70-130 | | | |
| PFHxA | 19.8 | 2.00 | ng/L | 20.0 | | 99 | 70-130 | | | |
| PFHxA | 19.8 | 2.00 | ng/L | 20.0 | | 99 | 70-130 | | | |
| PFHxS | 18.1 | 2.00 | ng/L | 18.2 | | 100 | 70-130 | | | |
| PFHxS | 18.1 | 2.00 | ng/L | 18.2 | | 100 | 70-130 | | | |
| PFNA | 21.3 | 2.00 | ng/L | 20.0 | | 106 | 70-130 | | | |
| PFNA | 21.3 | 2.00 | ng/L | 20.0 | | 106 | 70-130 | | | |
| PFOA | 19.8 | 2.00 | ng/L | 20.0 | | 99 | 70-130 | | | |
| PFOA | 19.8 | 2.00 | ng/L | 20.0 | | 99 | 70-130 | | | |
| PFOS | 17.5 | 2.00 | ng/L | 18.5 | | 95 | 70-130 | | | |
| PFOS | 17.5 | 2.00 | ng/L | 18.5 | | 95 | 70-130 | | | |
| PFTeDA (PFTA) | 17.1 | 2.00 | ng/L | 20.0 | | 85 | 70-130 | | | |
| PFTeDA (PFTA) | 17.1 | 2.00 | ng/L | 20.0 | | 85 | 70-130 | | | |
| PFTTrDA | 19.6 | 2.00 | ng/L | 20.0 | | 98 | 70-130 | | | |
| PFTTrDA | 19.6 | 2.00 | ng/L | 20.0 | | 98 | 70-130 | | | |
| PFUdA | 20.5 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | | | |
| PFUdA | 20.5 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | | | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2G0821 - Default Prep GC-Semi

LCS Dup (B2G0821-BSD1)

Prepared: 07/26/22 Analyzed: 07/27/22

| | | | | | | | | | | |
|----------------|------|------|------|------|--|-----|--------|------|----|--|
| 11CI-PF3OUdS | 15.4 | 2.00 | ng/L | 18.9 | | 82 | 70-130 | 0.6 | 30 | |
| 11CI-PF3OUdS | 15.4 | 2.00 | ng/L | 18.9 | | 82 | 70-130 | 0.6 | 30 | |
| 9CI-PF3ONS | 16.6 | 2.00 | ng/L | 18.7 | | 89 | 70-130 | 0.8 | 30 | |
| 9CI-PF3ONS | 16.6 | 2.00 | ng/L | 18.7 | | 89 | 70-130 | 0.8 | 30 | |
| HFPO-DA (GenX) | 18.3 | 2.00 | ng/L | 20.0 | | 91 | 70-130 | 3 | 30 | |
| HFPO-DA (GenX) | 18.3 | 2.00 | ng/L | 20.0 | | 91 | 70-130 | 3 | 30 | |
| NaDONA | 18.9 | 2.00 | ng/L | 18.9 | | 100 | 70-130 | 0.6 | 30 | |
| NaDONA | 18.9 | 2.00 | ng/L | 18.9 | | 100 | 70-130 | 0.6 | 30 | |
| N-EtFOSAA | 17.9 | 2.00 | ng/L | 20.0 | | 89 | 70-130 | 4 | 30 | |
| N-EtFOSAA | 17.9 | 2.00 | ng/L | 20.0 | | 89 | 70-130 | 4 | 30 | |
| N-MeFOSAA | 19.3 | 2.00 | ng/L | 20.0 | | 96 | 70-130 | 0.7 | 30 | |
| N-MeFOSAA | 19.3 | 2.00 | ng/L | 20.0 | | 96 | 70-130 | 0.7 | 30 | |
| PFBS | 16.8 | 2.00 | ng/L | 17.7 | | 95 | 70-130 | 0.03 | 30 | |
| PFBS | 16.8 | 2.00 | ng/L | 17.7 | | 95 | 70-130 | 0.03 | 30 | |
| PFDA | 20.4 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | 0.5 | 30 | |
| PFDA | 20.4 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | 0.5 | 30 | |
| PFDoA | 21.0 | 2.00 | ng/L | 20.0 | | 105 | 70-130 | 5 | 30 | |
| PFDoA | 21.0 | 2.00 | ng/L | 20.0 | | 105 | 70-130 | 5 | 30 | |
| PFHpA | 20.2 | 2.00 | ng/L | 20.0 | | 101 | 70-130 | 3 | 30 | |
| PFHpA | 20.2 | 2.00 | ng/L | 20.0 | | 101 | 70-130 | 3 | 30 | |
| PFHxA | 19.6 | 2.00 | ng/L | 20.0 | | 98 | 70-130 | 1 | 30 | |
| PFHxA | 19.6 | 2.00 | ng/L | 20.0 | | 98 | 70-130 | 1 | 30 | |
| PFHxS | 18.1 | 2.00 | ng/L | 18.2 | | 99 | 70-130 | 0.3 | 30 | |
| PFHxS | 18.1 | 2.00 | ng/L | 18.2 | | 99 | 70-130 | 0.3 | 30 | |
| PFNA | 21.2 | 2.00 | ng/L | 20.0 | | 106 | 70-130 | 0.1 | 30 | |
| PFNA | 21.2 | 2.00 | ng/L | 20.0 | | 106 | 70-130 | 0.1 | 30 | |
| PFOA | 19.9 | 2.00 | ng/L | 20.0 | | 99 | 70-130 | 0.5 | 30 | |
| PFOA | 19.9 | 2.00 | ng/L | 20.0 | | 99 | 70-130 | 0.5 | 30 | |
| PFOS | 17.1 | 2.00 | ng/L | 18.5 | | 92 | 70-130 | 3 | 30 | |
| PFOS | 17.1 | 2.00 | ng/L | 18.5 | | 92 | 70-130 | 3 | 30 | |
| PFTeDA (PFTA) | 16.9 | 2.00 | ng/L | 20.0 | | 85 | 70-130 | 0.9 | 30 | |
| PFTeDA (PFTA) | 16.9 | 2.00 | ng/L | 20.0 | | 85 | 70-130 | 0.9 | 30 | |
| PFTTrDA | 19.0 | 2.00 | ng/L | 20.0 | | 95 | 70-130 | 3 | 30 | |
| PFTTrDA | 19.0 | 2.00 | ng/L | 20.0 | | 95 | 70-130 | 3 | 30 | |
| PFUdA | 20.4 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | 0.5 | 30 | |
| PFUdA | 20.4 | 2.00 | ng/L | 20.0 | | 102 | 70-130 | 0.5 | 30 | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2G0821 - Default Prep GC-Semi

| Matrix Spike (B2G0821-MS1) | Source: 22G2286-35 | | | Prepared: 07/26/22 Analyzed: 07/27/22 | | | | | | |
|----------------------------|--------------------|------|------|---------------------------------------|-------|-----|--------|--|--|--|
| 11CI-PF3OUdS | 13.4 | 1.72 | ng/L | 16.3 | <1.72 | 82 | 70-130 | | | |
| 11CI-PF3OUdS | 13.4 | 1.72 | ng/L | 16.3 | <1.72 | 82 | 70-130 | | | |
| 9CI-PF3ONS | 14.7 | 1.72 | ng/L | 16.1 | <1.72 | 91 | 70-130 | | | |
| 9CI-PF3ONS | 14.7 | 1.72 | ng/L | 16.1 | <1.72 | 91 | 70-130 | | | |
| HFPO-DA (GenX) | 14.6 | 1.72 | ng/L | 17.2 | <1.72 | 85 | 70-130 | | | |
| HFPO-DA (GenX) | 14.6 | 1.72 | ng/L | 17.2 | <1.72 | 85 | 70-130 | | | |
| NaDONA | 16.2 | 1.72 | ng/L | 16.3 | <1.72 | 100 | 70-130 | | | |
| NaDONA | 16.2 | 1.72 | ng/L | 16.3 | <1.72 | 100 | 70-130 | | | |
| N-EtFOSAA | 17.9 | 1.72 | ng/L | 17.2 | <1.72 | 104 | 70-130 | | | |
| N-EtFOSAA | 17.9 | 1.72 | ng/L | 17.2 | <1.72 | 104 | 70-130 | | | |
| N-MeFOSAA | 17.2 | 1.72 | ng/L | 17.2 | <1.72 | 100 | 70-130 | | | |
| N-MeFOSAA | 17.2 | 1.72 | ng/L | 17.2 | <1.72 | 100 | 70-130 | | | |
| PFBS | 13.6 | 1.72 | ng/L | 15.2 | <1.72 | 89 | 70-130 | | | |
| PFBS | 13.6 | 1.72 | ng/L | 15.2 | <1.72 | 89 | 70-130 | | | |
| PFDA | 17.9 | 1.72 | ng/L | 17.2 | <1.72 | 104 | 70-130 | | | |
| PFDA | 17.9 | 1.72 | ng/L | 17.2 | <1.72 | 104 | 70-130 | | | |
| PFDoA | 18.1 | 1.72 | ng/L | 17.2 | <1.72 | 105 | 70-130 | | | |
| PFDoA | 18.1 | 1.72 | ng/L | 17.2 | <1.72 | 105 | 70-130 | | | |
| PFHpA | 17.4 | 1.72 | ng/L | 17.2 | <1.72 | 101 | 70-130 | | | |
| PFHpA | 17.4 | 1.72 | ng/L | 17.2 | <1.72 | 101 | 70-130 | | | |
| PFHxA | 16.9 | 1.72 | ng/L | 17.2 | 0.56 | 95 | 70-130 | | | |
| PFHxA | 16.9 | 1.72 | ng/L | 17.2 | 0.56 | 95 | 70-130 | | | |
| PFHxS | 15.7 | 1.72 | ng/L | 15.7 | <1.72 | 100 | 70-130 | | | |
| PFHxS | 15.7 | 1.72 | ng/L | 15.7 | <1.72 | 100 | 70-130 | | | |
| PFNA | 18.3 | 1.72 | ng/L | 17.2 | <1.72 | 106 | 70-130 | | | |
| PFNA | 18.3 | 1.72 | ng/L | 17.2 | <1.72 | 106 | 70-130 | | | |
| PFOA | 17.4 | 1.72 | ng/L | 17.2 | <1.72 | 101 | 70-130 | | | |
| PFOA | 17.4 | 1.72 | ng/L | 17.2 | <1.72 | 101 | 70-130 | | | |
| PFOS | 15.6 | 1.72 | ng/L | 15.9 | <1.72 | 98 | 70-130 | | | |
| PFOS | 15.6 | 1.72 | ng/L | 15.9 | <1.72 | 98 | 70-130 | | | |
| PFTeDA (PFTA) | 16.4 | 1.72 | ng/L | 17.2 | <1.72 | 95 | 70-130 | | | |
| PFTeDA (PFTA) | 16.4 | 1.72 | ng/L | 17.2 | <1.72 | 95 | 70-130 | | | |
| PFTTrDA | 16.8 | 1.72 | ng/L | 17.2 | <1.72 | 97 | 70-130 | | | |
| PFTTrDA | 16.8 | 1.72 | ng/L | 17.2 | <1.72 | 97 | 70-130 | | | |
| PFUdA | 17.9 | 1.72 | ng/L | 17.2 | <1.72 | 104 | 70-130 | | | |
| PFUdA | 17.9 | 1.72 | ng/L | 17.2 | <1.72 | 104 | 70-130 | | | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2H0092 - Default Prep GC-Semi

Blank (B2H0092-BLK1)

Prepared: 08/02/22 Analyzed: 08/04/22

| | | | | | | | | | | |
|----------------|-------|------|------|--|--|--|--|--|--|--|
| 11CI-PF3OUdS | <2.00 | 2.00 | ng/L | | | | | | | |
| 9CI-PF3ONS | <2.00 | 2.00 | ng/L | | | | | | | |
| HFPO-DA (GenX) | <2.00 | 2.00 | ng/L | | | | | | | |
| NaDONA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-EtFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| N-MeFOSAA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFBS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFDoA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHpA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFHxS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFNA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFOS | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTeDA (PFTA) | <2.00 | 2.00 | ng/L | | | | | | | |
| PFTTrDA | <2.00 | 2.00 | ng/L | | | | | | | |
| PFUdA | <2.00 | 2.00 | ng/L | | | | | | | |

LCS (B2H0092-BS1)

Prepared: 08/02/22 Analyzed: 08/04/22

| | | | | | | | | | | |
|----------------|------|------|------|------|--|-----|--------|--|--|--|
| 11CI-PF3OUdS | 30.1 | 2.00 | ng/L | 37.8 | | 80 | 70-130 | | | |
| 9CI-PF3ONS | 34.9 | 2.00 | ng/L | 37.4 | | 93 | 70-130 | | | |
| HFPO-DA (GenX) | 38.0 | 2.00 | ng/L | 40.0 | | 95 | 70-130 | | | |
| NaDONA | 39.6 | 2.00 | ng/L | 37.8 | | 105 | 70-130 | | | |
| N-EtFOSAA | 37.4 | 2.00 | ng/L | 40.0 | | 93 | 70-130 | | | |
| N-MeFOSAA | 40.5 | 2.00 | ng/L | 40.0 | | 101 | 70-130 | | | |
| PFBS | 35.1 | 2.00 | ng/L | 35.4 | | 99 | 70-130 | | | |
| PFDA | 42.1 | 2.00 | ng/L | 40.0 | | 105 | 70-130 | | | |
| PFDoA | 40.5 | 2.00 | ng/L | 40.0 | | 101 | 70-130 | | | |
| PFHpA | 43.0 | 2.00 | ng/L | 40.0 | | 108 | 70-130 | | | |
| PFHxA | 41.4 | 2.00 | ng/L | 40.0 | | 104 | 70-130 | | | |
| PFHxS | 37.9 | 2.00 | ng/L | 36.4 | | 104 | 70-130 | | | |
| PFNA | 42.9 | 2.00 | ng/L | 40.0 | | 107 | 70-130 | | | |
| PFOA | 41.0 | 2.00 | ng/L | 40.0 | | 102 | 70-130 | | | |
| PFOS | 34.0 | 2.00 | ng/L | 37.0 | | 92 | 70-130 | | | |
| PFTeDA (PFTA) | 31.9 | 2.00 | ng/L | 40.0 | | 80 | 70-130 | | | |
| PFTTrDA | 36.3 | 2.00 | ng/L | 40.0 | | 91 | 70-130 | | | |
| PFUdA | 40.9 | 2.00 | ng/L | 40.0 | | 102 | 70-130 | | | |

Semi-Volatile Organic Compounds - Quality Control
Legend Technical Services of Arizona, Inc.

| Analyte | Result | Reporting Limit | Units | Spike Level | Source Result | %REC | %REC Limits | RPD | RPD Limit | Notes |
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|
|---------|--------|-----------------|-------|-------------|---------------|------|-------------|-----|-----------|-------|

Batch B2H0092 - Default Prep GC-Semi

LCS Dup (B2H0092-BSD1)

Prepared: 08/02/22 Analyzed: 08/04/22

| | | | | | | | | | | |
|----------------|------|------|------|------|--|-----|--------|-----|----|--|
| 11CI-PF3OUdS | 30.9 | 2.00 | ng/L | 37.8 | | 82 | 70-130 | 3 | 30 | |
| 9CI-PF3ONS | 34.3 | 2.00 | ng/L | 37.4 | | 92 | 70-130 | 2 | 30 | |
| HFPO-DA (GenX) | 38.9 | 2.00 | ng/L | 40.0 | | 97 | 70-130 | 2 | 30 | |
| NaDONA | 39.1 | 2.00 | ng/L | 37.8 | | 103 | 70-130 | 1 | 30 | |
| N-EtFOSAA | 37.8 | 2.00 | ng/L | 40.0 | | 94 | 70-130 | 1 | 30 | |
| N-MeFOSAA | 41.2 | 2.00 | ng/L | 40.0 | | 103 | 70-130 | 2 | 30 | |
| PFBS | 36.3 | 2.00 | ng/L | 35.4 | | 103 | 70-130 | 4 | 30 | |
| PFDA | 42.3 | 2.00 | ng/L | 40.0 | | 106 | 70-130 | 0.5 | 30 | |
| PFDoA | 43.8 | 2.00 | ng/L | 40.0 | | 109 | 70-130 | 8 | 30 | |
| PFHpA | 42.4 | 2.00 | ng/L | 40.0 | | 106 | 70-130 | 2 | 30 | |
| PFHxA | 40.8 | 2.00 | ng/L | 40.0 | | 102 | 70-130 | 2 | 30 | |
| PFHxS | 36.8 | 2.00 | ng/L | 36.4 | | 101 | 70-130 | 3 | 30 | |
| PFNA | 43.5 | 2.00 | ng/L | 40.0 | | 109 | 70-130 | 1 | 30 | |
| PFOA | 40.9 | 2.00 | ng/L | 40.0 | | 102 | 70-130 | 0.2 | 30 | |
| PFOS | 33.8 | 2.00 | ng/L | 37.0 | | 92 | 70-130 | 0.4 | 30 | |
| PFTeDA (PFTA) | 36.5 | 2.00 | ng/L | 40.0 | | 91 | 70-130 | 13 | 30 | |
| PFTTrDA | 39.4 | 2.00 | ng/L | 40.0 | | 98 | 70-130 | 8 | 30 | |
| PFUdA | 42.2 | 2.00 | ng/L | 40.0 | | 106 | 70-130 | 3 | 30 | |

Matrix Spike (B2H0092-MS1)

Source: 22G3159-01

Prepared: 08/02/22 Analyzed: 08/04/22

| | | | | | | | | | | |
|----------------|------|------|------|------|-------|-----|--------|--|--|--|
| 11CI-PF3OUdS | 29.1 | 2.00 | ng/L | 36.3 | <2.00 | 80 | 70-130 | | | |
| 9CI-PF3ONS | 33.7 | 2.00 | ng/L | 36.0 | <2.00 | 94 | 70-130 | | | |
| HFPO-DA (GenX) | 36.8 | 2.00 | ng/L | 38.5 | <2.00 | 96 | 70-130 | | | |
| NaDONA | 37.6 | 2.00 | ng/L | 36.3 | <2.00 | 104 | 70-130 | | | |
| N-EtFOSAA | 34.9 | 2.00 | ng/L | 38.5 | <2.00 | 91 | 70-130 | | | |
| N-MeFOSAA | 38.7 | 2.00 | ng/L | 38.5 | <2.00 | 100 | 70-130 | | | |
| PFBS | 36.1 | 2.00 | ng/L | 34.0 | 0.69 | 104 | 70-130 | | | |
| PFDA | 40.4 | 2.00 | ng/L | 38.5 | <2.00 | 105 | 70-130 | | | |
| PFDoA | 40.2 | 2.00 | ng/L | 38.5 | <2.00 | 105 | 70-130 | | | |
| PFHpA | 41.1 | 2.00 | ng/L | 38.5 | 0.28 | 106 | 70-130 | | | |
| PFHxA | 40.2 | 2.00 | ng/L | 38.5 | 0.67 | 103 | 70-130 | | | |
| PFHxS | 36.8 | 2.00 | ng/L | 35.0 | 1.21 | 102 | 70-130 | | | |
| PFNA | 42.6 | 2.00 | ng/L | 38.5 | <2.00 | 111 | 70-130 | | | |
| PFOA | 39.9 | 2.00 | ng/L | 38.5 | 0.66 | 102 | 70-130 | | | |
| PFOS | 32.0 | 2.00 | ng/L | 35.5 | <2.00 | 90 | 70-130 | | | |
| PFTeDA (PFTA) | 31.4 | 2.00 | ng/L | 38.5 | <2.00 | 82 | 70-130 | | | |
| PFTTrDA | 35.4 | 2.00 | ng/L | 38.5 | <2.00 | 92 | 70-130 | | | |
| PFUdA | 40.2 | 2.00 | ng/L | 38.5 | <2.00 | 105 | 70-130 | | | |

Jacobs Engineering Group
P.O. Box 26428
Prescott Valley, AZ 86312

Project: Prescott Valley
Project Number: 07/19/22
Client Manager: Ethan Beyea

Reported:
08/08/22 13:04

Notes and Definitions

BLK Method Blank
LCS/Dup Laboratory Control Sample/Laboratory Fortified Blank/Duplicate
MS/Dup Matrix Spike/Duplicate
Dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

22G2286



PM: Barbara Frank

CHAIN OF CUSTODY RECORD

LEGEND

Technical Services, Inc.

17631 N. 25th Avenue • Phoenix, AZ 85023 • (602) 324-6100 • Fax (602) 324-6101
 4585 S. Palo Verde Rd, Ste 423 • Tucson, AZ 85714 • (520) 327-1234 • Fax (520) 327-0518

Page 1 of 3

| | | | | | | | | | | |
|---|-------------|--|-----------------|------------------------------------|--------------------|---------------------|------------------------------|---|---|----------|
| Client Name Jacobs Prescott Valley | | Report Mailing Address 8466 E Long Mesa dr | | City Prescott Valley | State Az | Zip 86314 | Phone 928 713-9501 | Email Address ethan.beyea@jacobs.com | | |
| Project Name Prescott Valley | | Project Number | | Contact Name Ethan Beyea | | Purchase Order No. | | Email Results <input checked="" type="checkbox"/> Special Detection Limits <input type="checkbox"/> | | |
| SAMPLE TYPE CODES | | TURN AROUND TIME | | REQUESTED ANALYSES | | | | | | |
| DW=Drinking Water WW=Wastewater SW=Surface Water GW=Groundwater O=Other S=Soil/Solid T=Travel Blank F=Food G=Sludge/Biosolids | | Laboratory Authorization Required for Rush <input type="checkbox"/> Standard 7-10 Day <input type="checkbox"/> Other | | Composite | Grab | Sample Type | Compliance | No. of Containers | pH <input checked="" type="checkbox"/> (Lab Use Only) | LAB NO. |
| Client's | Sample Date | Sample Time | Sample Location | | | | | | | |
| Double S | 7/19/22 | 0815 | Double S | X | | DW | | 3 | X | 01/02 FB |
| Pronghorn | 7/19/22 | 0830 | Pronghorn | X | | DW | | 3 | X | 03/04 FB |
| Fairgrounds | 7/19/22 | 0942 | Fairgrounds | X | | DW | | 3 | X | 05/06 FB |
| Kurtz | 7/19/22 | 0941 | Kurtz | X | | DW | | 3 | X | 07/08 FB |
| Lower Lynx | 7/19/22 | 1018 | Lower Lynx | X | | DW | | 3 | X | 09/10 FB |
| PCC | 7/19/22 | 1047 | PCC | X | | DW | | 3 | X | 11/12 FB |
| QW3 | 7/19/22 | 1105 | QW3 | X | | DW | | 3 | X | 13/14 FB |
| QW1 | 7/19/22 | 1119 | QW1 | X | | DW | | 3 | X | 15/16 FB |
| QW4 | 7/19/22 | 1130 | QW4 | X | | DW | | 3 | X | 17/18 FB |
| QW2 | 7/19/22 | 1140 | QW2 | X | | DW | | 3 | X | 19/20 FB |

TO ENSURE COMPLETION OF ANALYSIS, SAMPLES MUST BE RECEIVED AT LEAST 3 HOURS PRIOR TO THE HOLD TIME EXPIRATION

Comments / Special Instructions:

| SAMPLE CONDITION UPON RECEIPT (Lab Use) | |
|---|--|
| No. of Containers | 25 |
| Temperature | 23 °C |
| Custody Seals | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> |
| Seals Intact | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> |
| Preserved | Y <input checked="" type="checkbox"/> N <input type="checkbox"/> |

WHITE-LAB YELLOW-CLIENT

On behalf of the above-named Client, I accept and acknowledge receipt of Legend's General Conditions.

| RELINQUISHED BY | | SAMPLES RECEIVED BY | |
|--|--------------|-----------------------------------|--------------|
| ① Sampler Signature <i>Barbara Frank</i> | Date 7/19/22 | Signature <i>Frank Teng</i> | Date 7/19/22 |
| ③ Sampler Printed Name <i>Barbara Frank</i> | Time 1420 | Printed Name <i>Frank Teng</i> | Time 1420 |
| ⑤ Sampler Signature <i>Frank Teng</i> | Date 7/19/22 | Signature <i>Jimenez</i> | Date 7-19-22 |
| Sampler Printed Name <i>Frank Teng</i> | Time 3:53 | Printed Name <i>Jimenez</i> | Time 1553 |
| Sampler Signature | Date | Signature | Date |
| Sampler Printed Name | Time | Printed Name | Time |

22G2286



PM: Barbara Frank

CHAIN OF CUSTODY RECORD

LEGEND

Technical Services, Inc.

17631 N. 25th Avenue • Phoenix, AZ 85023 • (602) 324-6100 • Fax (602) 324-6101
 4585 S. Palo Verde Rd, Ste 423 • Tucson, AZ 85714 • (520) 327-1234 • Fax (520) 327-0518

Page 2 of 3

Client Name: Jacobs Prescott Valley Report Mailing Address: 8466 E Long Mesa dr City: Prescott Valley State: Az Zip: 86314 Phone: 428-713-9501 Email Address: ethan.beyea@jacobs.com
 Project Name: Prescott Valley Project Number: _____ Contact Name: Ethan Beyea Purchase Order No.: _____ EDD
 Email Results Special Detection Limits

| SAMPLE TYPE CODES | TURN AROUND TIME | | Laboratory Authorization Required for Rush | Composite | Grab | Sample Type | Compliance | No. of Containers | pH (Lab Use Only) | REQUESTED ANALYSES | | | | | | | | | | LAB NO. | | | | | | | |
|---|--|--|--|-----------|------|-------------|------------|-------------------|-------------------|--------------------|-----------------|---|--|--|--|--|--|--|--|---------|--|--|--|--|--|--|--|
| | Client's | Sample Date | | | | | | | | Sample Time | Sample Location | / | | | | | | | | | | | | | | | |
| DW=Drinking Water WW=Wastewater SW=Surface Water GW=Groundwater O=Other | S=Soil/Solid T=Travel Blank F=Food G=Sludge/Biosolids | <input type="checkbox"/> Standard 7-10 Day <input type="checkbox"/> Other _____ | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | |

TO ENSURE COMPLETION OF ANALYSIS, SAMPLES MUST BE RECEIVED AT LEAST 3 HOURS PRIOR TO THE HOLD TIME EXPIRATION

Comments / Special Instructions:

| SAMPLE CONDITION UPON RECEIPT (Lab Use) | |
|---|---------------|
| No. of Containers | <u>75</u> |
| Temperature | <u>2.3</u> °C |
| Custody Seals | Y (N) |
| Seals Intact | Y N |
| Preserved | (Y) N |

WHITE-LAB YELLOW-CLIENT

On behalf of the above-named Client, I accept and acknowledge receipt of Legend's General Conditions.

| RELINQUISHED BY | | SAMPLES RECEIVED BY | |
|--|---------------------|--------------------------------|---------------------|
| ① Sampler Signature <u>Rio Naud</u> | Date <u>7/19/22</u> | Signature <u>Frank Tena</u> | Date <u>7/19/22</u> |
| ③ Sampler Printed Name <u>Rio Naud</u> | Time <u>1420</u> | Printed Name <u>Frank Tena</u> | Time <u>1420</u> |
| ⑤ Sampler Signature <u>Frank Tena</u> | Date <u>7/19/22</u> | Signature <u>Frank Tena</u> | Date <u>7-19-22</u> |
| Sampler Printed Name <u>Frank Tena</u> | Time <u>3:57</u> | Printed Name <u>Frank Tena</u> | Time <u>13:53</u> |
| Sampler Signature | Date | Signature | Date |
| Sampler Printed Name | Time | Printed Name | Time |

22G2286



PM: Barbara Frank

CHAIN OF CUSTODY RECORD

17631 N, 25th Avenue • Phoenix, AZ 85023 • (602) 324-6100 • Fax (602) 324-6101
 4585 S, Palo Verde Rd, Ste 423 • Tucson, AZ 85714 • (520) 327-1234 • Fax (520) 327-0518

LEGEND

Technical Services, Inc.

Page 3 of 3

| | | | | | | | | | | | | | |
|---|--|---|-------------|--|--------------------|-------------------------------------|-------------------------------------|---|------------|-------------------|-------------------------------------|-----------------|--|
| Client Name <i>Jacobs Prescott Valley</i> | | Report Mailing Address <i>8466 E Long Mesa Dr</i> | | City <i>Prescott Valley</i> | State <i>AZ</i> | Zip <i>86314</i> | Phone <i>928-713-9501</i> | Email Address <i>ethanbeyea@jacobs.com</i> | | | | | |
| Project Name <i>Prescott Valley</i> | | Project Number | | Contact Name <i>Ethan Beyea</i> | | Purchase Order No. | | Email Results <input checked="" type="checkbox"/> Special Detection Limits <input type="checkbox"/> | | | | | |
| SAMPLE TYPE CODES DW=Drinking Water S=Soil/Solid WW=Wastewater T=Travel Blank SW=Surface Water F=Food GW=Groundwater G=Sludge/Biosolids O=Other | | TURN AROUND TIME Laboratory Authorization Required for Rush <input type="checkbox"/> Standard 7-10 Day <input type="checkbox"/> Other _____ | | REQUESTED ANALYSES <div style="border: 1px solid black; padding: 5px; display: inline-block; transform: rotate(-90deg); transform-origin: center;">PFB</div> | | | | | | LAB NO. | | | |
| | | | | | | | | | | | | | |
| Client's | | Sample Date | Sample Time | Sample Location | | Composite | Grab | Sample Type | Compliance | No. of Containers | pH | LAB NO. | |
| <i>Antelope</i> | | <i>7-19-22</i> | <i>1300</i> | <i>Antelope</i> | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <i>DW</i> | | <i>3</i> | <input checked="" type="checkbox"/> | <i>41/42 FB</i> | |
| <i>Legend Larry</i> | | <i>7-19-22</i> | <i>1148</i> | <i>Legend Larry</i> | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <i>DW</i> | | <i>3</i> | <input checked="" type="checkbox"/> | <i>43/44 FB</i> | |
| <i>Middle Robin</i> | | <i>7-19-22</i> | <i>1207</i> | <i>Middle Robin</i> | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <i>DW</i> | | <i>3</i> | <input checked="" type="checkbox"/> | <i>45/46 FB</i> | |
| <i>Out + Out</i> | | <i>7-19-22</i> | <i>1219</i> | <i>Out + Out</i> | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <i>DW</i> | | <i>3</i> | <input checked="" type="checkbox"/> | <i>47/48 FB</i> | |
| <i>Little Pete</i> | | <i>7-19-22</i> | <i>1226</i> | <i>Little Pete</i> | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <i>DW</i> | | <i>7</i> | <input checked="" type="checkbox"/> | <i>49/50 FB</i> | |
| CORRECTION MADE BY CLIENT OR COURIER PRIOR TO SAMPLE RECEIPT AT LEGEND <i>OK 7-20-22</i> | | | | | | | | | | | | | |
| TO ENSURE COMPLETION OF ANALYSIS, SAMPLES MUST BE RECEIVED AT LEAST 3 HOURS PRIOR TO THE HOLD TIME EXPIRATION | | | | | | | | | | | | | |

Comments / Special Instructions:

| SAMPLE CONDITION UPON RECEIPT (Lab Use) | |
|---|---|
| No. of Containers | <i>75</i> |
| Temperature | <i>2.3</i> °C |
| Custody Seals | Y N |
| Seals Intact | Y N |
| Preserved | Y N |

WHITE-LAB YELLOW-CLIENT

On behalf of the above-named Client, I accept and acknowledge receipt of Legend's General Conditions.

| RELINQUISHED BY | | SAMPLES RECEIVED BY | |
|---|---|--------------------------------|---|
| ① Sampler Signature <i>Frank Tene</i> | Date <i>7/19/22</i> Time <i>1420</i> | Signature <i>Frank Tene</i> | Date <i>7/19/22</i> Time <i>1420</i> |
| ③ Sampler Printed Name <i>Frank Tene</i> | Date <i>7/19/22</i> Time <i>357</i> | Signature <i>Frank Tene</i> | Date <i>7/19/22</i> Time <i>1553</i> |
| ⑤ Sampler Signature | Date | Signature | Date |
| Sampler Printed Name | Time | Printed Name | Time |